


Supporting Rollers SW

Types, Sizes, Surfaces




Your benefits:

- Use of high quality bearings
- Yarn gentle roller shells
- Corrosion resistance
- Ensures stable running

Supporting Rollers SW

Types, sizes, surfaces

Supporting rollers figure



Overview

Type	Max. yarn speed [m/min]	Max. radial load [N]	Dimensions [mm]							Material	Hard chromium
			D	L	L_1	d	I_1	I_2			
SW12115-02	1850	55	12	112	119.6	5.4 / 5.0	6	1.6	Steel	x	
SW12140	1850	40	12	137	149.0	5.5 / 5.5	6	6.0	Steel	x	
SW12140-03 ¹	1850	40	12	137	154.0	5.0 / 5.0	7	10.0	Steel	x	
SW12140-05 ¹	1850	40	12	137	144.6	5.4 / 5.0	6	1.6	Steel	x	
SW12165-02 ¹	1850	40	12	165	189.0	5.0 / 5.0	12	12.0	Steel	x	
SW12165-05 ¹	1850	40	12	165	182.0	5.0 / 5.0	7	10.0	Steel	x	
SW12165-08 ¹	1850	50	12	167	174.6	5.4 / 5.0	6	1.6	Steel	x	
SW18202-1 ¹	1500	120	18	200	244.0	8.1 / 8.1	22	22.0	Steel	x	
SW18261-1 ¹	1500	120	18	260	304.0	8.1 / 8.1	22	22.0	Steel	x	
SW18300 ¹	1500	120	18	300	344.0	8.1 / 8.1	22	22.0	Steel	x	

¹ Acceptance only with minimum quantity

Rieter Components Germany GmbH

Temco
Fuldaer Str. 19
97762 Hammelburg
Germany
T +49 9732 87 0
info@temco.de

The data and illustrations in this brochure and on the corresponding data carrier refer to the date of printing. Temco reserves the right to make any necessary changes at any time and without special notice. Temco products and Temco innovations are protected by patents.

3494-v1 en 2204